

兔抗 F2R 多克隆抗体

中文名称：兔抗 F2R 多克隆抗体

英文名称： Anti-F2R rabbit polyclonal antibody

别名： TR, HTR, CF2R, PAR1, PAR-1

相关类别： 一抗

储存： 冷冻（-20℃）

宿主： Rabbit

抗原： F2R

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	Coagulation factor II receptor is a 7-transmembrane receptor involved in the regulation of thrombotic response. Proteolytic cleavage leads to the activation of the receptor. F2R is a G-protein coupled receptor family member. High affinity receptor for activated thrombin coupled to G proteins that stimulate phosphoinositide hydrolysis. May play a role in platelets activation and in vascular development.
Applications:	ELISA, WB, IHC
Name of antibody:	F2R
Immunogen:	Synthetic peptide of human F2R
Full name:	coagulation factor II (thrombin) receptor
Synonyms :	TR, HTR, CF2R, PAR1, PAR-1

SwissProt:	P25116
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human colon cancer and Human ovarian cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	47 kDa
WB Positive control:	293T and K562 cells, human fetal kidney tissue
WB Recommended dilution:	500-2000



