

## 兔抗 PSMD6 多克隆抗体

中文名称：兔抗 PSMD6 多克隆抗体

英文名称：Anti-PSMD6 rabbit polyclonal antibody

别名：S10, Rpn7, p42A, p44S10, SGA-113M

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PSMD6

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

|                          |   |
|--------------------------|---|
| <b>Background:</b>       | This gene encodes a member of the protease subunit S 10 family. The encoded protein is a subunit of the 26S proteasome which colocalizes with DNA damage foci and is involved in the ATP-dependent degradation of ubiquitinated proteins. Alternative splicing results in multiple transcript variants. |
| <b>Applications:</b>     | ELISA, WB, IHC  |
| <b>Name of antibody:</b> | PSMD6   |
| <b>Immunogen:</b>        | Synthetic peptide of human PSMD6  |
| <b>Full name:</b>        | Proteasome (prosome, macropain) 26S subunit, non-ATPase, 6  |
| <b>Synonyms :</b>        | S10, Rpn7, p42A, p44S10, SGA-113M   |
| <b>SwissProt:</b>        | Q15008  |

|                                    |   |
|------------------------------------|---|
| <b>ELISA Recommended dilution:</b> | 2000-10000                                    |
| <b>IHC positive control:</b>       | Human liver cancer and Human lung cancer      |
| <b>IHC Recommend dilution:</b>     | 50-200  |
| <b>WB Predicted band size:</b>     | 49 kDa; 46 kDa                                |
| <b>WB Positive control:</b>        | K562 cells and mouse heart tissue, MCF7 cells |
| <b>WB Recommended dilution:</b>    | 500-2000                                      |



