

兔抗 STAG2 多克隆抗体

- 中文名称: 兔抗 STAG2 多克隆抗体
- 英文名称: Anti-STAG2 rabbit polyclonal antibody
- 别名: SA2; SA-2; SCC3B; bA517O1.1
- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗 原: STAG2
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a subunit of the coh esin complex, which regulates the separation of sister chr omatids during cell division. Targeted inactivation of this gene results in chromatid cohesion defects and aneuploid y, suggesting that genetic disruption of cohesin is a cause of aneuploidy in human cancer. Alternatively spliced trans cript variants encoding different isoforms have been foun d for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	STAG2
Immunogen:	Fusion protein of human STAG2



Full name:	stromal antigen 2
Synonyms :	SA2; SA-2; SCC3B; bA517O1.1
SwissProt:	Q8N3U4
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human esophagus cancer and human breast cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	141 kDa
WB Positive control:	MCF7 cells
WB Recommended dilution:	200-1000





