

## 兔抗 STT3A 多克隆抗体

- 中文名称: 兔抗 STT3A 多克隆抗体
- 英文名称: Anti-STT3A rabbit polyclonal antibody
- 别 名: STT3A, catalytic subunit of the oligosaccharyltransferase complex; TMC; ITM1; STT3-A
- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗 原: STT3A
- 反应种属: Human, Mouse
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

Background:	The protein encoded by this gene is a catalytic subunit of the N-oligosaccharyltransferase (OST) complex, which functions in the endoplasmic reticulum to transfer glyc an chains to asparagine residues of target proteins. A s eparate complex containing a similar catalytic subunit with an overlapping function also exists. Multiple transc ript variants encoding different isoforms have been fou nd for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	STT3A



Immunogen:	Fusion protein of human STT3A
Full name:	STT3A, catalytic subunit of the oligosaccharyltransferase complex
Synonyms:	TMC; ITM1; STT3-A
SwissProt:	P46977
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	81 kDa
WB Positive control:	Mouse liver tissue and Human placenta tissue lysates
WB Recommended dilution:	200-1000





