

## UBE2D3 抗原（重组蛋白）

中文名称： UBE2D3 抗原（重组蛋白）

英文名称： UBE2D3 Antigen (Recombinant Protein)

别名： UBC4/5; UBCH5C; E2(17)KB3

储存： 冷冻（-20℃）

相关类别： 抗原

概述

Full length fusion protein

技术规格

<b>Full name:</b>	ubiquitin conjugating enzyme E2D 3
<b>Synonyms:</b>	UBC4/5; UBCH5C; E2(17)KB3
<b>Swissprot:</b>	P61077
<b>Gene Accession:</b>	BC003395
<b>Purity:</b>	>85%, as determined by Coomassie blue stained SDS-PAGE
<b>Expression system:</b>	Escherichia coli
<b>Tags:</b>	His tag C-Terminus, GST tag N-Terminus
<b>Background:</b>	The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation . Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme functions in the ubiquitination of the tumor-suppressor protein p53, which is induced by an E3 ubiquitin-protein ligase. Multiple spliced transcript variants have been found for this gene, but the full-length nature of some variants has not been determined.

